


NOTES: (UNLESS OTHERWISE SPECIFIED)

1. Interface comply with IEC 169-16.
2. Part must be packaged to avoid any damaged during transportation.
3. After crimping dimension should be Af/SW 5.41.



REV.	DESCRIPTION	APPROVED	DATE	ECN
A	REL. TO PRODUCTION	Johnny	28 Nov 07	

MATERIAL		SEE BOM OF DETAILS		THIRD ANGLE PROJECTION		TITLE	
SEE BOM OF DETAILS		SEE BOM OF DETAILS				<h1 style="text-align: center;">Zeeteq</h1>	
FINISH		TOLERANCES		GENERAL ECCENTRICITY		DWG NO.	
SEE BOM OF DETAILS		Oplate X ±1 1place X ±0.1 2place XX ±0.05 Angle ±5°		0.06		5041.N.PSC.09.133	
Plating part to be touched by gloves		Remove burrs and sharp edges		DRAWN BY		DWG NO.	
Dimension apply before plating				Billy Lei		17 Oct 07	
XXX - measuring point for plating				CHECKED BY		DATE	
				Joy		28 Nov 07	
SURFACE		VOLUME		APPROVED BY		DATE	
				Johnny		28 Nov 07	
NOTICE: Those drawings and specifications are the property of ZEETEQ CORPORATION and used only for the specify purpose authorised by ZEETEQ		SCALE		DO NOT SCALE DRAWING		SIZE	
		4:1				A4	
						SHEET	
						1 of 1	